

# Thermaltake Air Cooler UX 200



# UX 200

ARGB Lighting CPU Cooler



# Thermaltake Air Cooler UX 200



# UX 200

## ARGB Lighting CPU Cooler



### 產品規格：

Unit :mm


P/N	CL-P065-AL12SW-A
Compatibility (CPU Socket)	Intel LGA 1700/1200/1156/1155/1151/1150 AMD AM5/AM4/AM3+/AM3/AM2+/AM2/FM2/FM1
Dimension	127 x 76 x 153.5 mm ( L x W x H)
Heatsink Material	Aluminum Fins Copper Heatpipes
Heatpipe	Φ6mm x 4 pcs
Fan Dimension	120 x 120 x 25 mm ( L x W x H)
Fan Quantity	1pcs
Fan Speed	PWM 300 ~ 1500 RPM
Rated Voltage	12V
Start Voltage	6.0 V
Rated Current	0.48 A
Power Input	5.76 W
Air Flow.	43.34 CFM
Air Pressure.	1.18 mm-H2O
Acoustical Noise.	26.33 dBA
Life Time	30,000 hours
Pin Connect	5V RGB header 2510 - 4Pin
Cooling Power	130 W



## Features :

- Support MB RGB LED 5V sync, ASUS, GIGABYTE, MSI and ASROCK
- Build-In ARGB LEDs offer best lighting effect
- 4 x Ø6 mm high performance U-shape copper heatpipes support up to 130W
- 120mm Quiet-Fan With 15 LED lighting
- 9 high Air Flow blade design for high cooling performance
- Long life hydraulic bearing for reliable and silent operation
- Universal Intel/ AMD socket compatibility

## Dimension :



# Thermaltake Air Cooler UX 200



**Angle View :**




**Top View**



**Bottom View**



**Front View**



**Fan**



**Universal Socket & Fan Clip**



**Heat-pipes Direct Touch Technology**



# Thermaltake Air Cooler UX 200



## Features :



**Performance optimized  
fin design**



**Fully Intel & AMD Socket  
Premium thermal grease**



**Application**

## Sync 5V LED

### Support ASUS, MSI, GIGABYTE and ASROCK 5V RGB motherboard Sync.

**\*Caution: the motherboard signal connector only supports 5V header.**



Aura Addressable Header



JRAINBOW Header



Addressable RGB LED Header




Digital Pin Header

## MB SYNC


### CAUTION

Please power off the PC and check the Positive and Negative ends on the connector before connecting the cable to mainboard. Connecting the wrong end can damage the fans.


**ASUS**  
Aura Addressable Strip Header(s)




**MSI**  
JRGB-strip Header(S)



**ASROCK**  
Addressable RGB LED Header(s)



**GIGABYTE**  
AOURS RGB Fusion with Digital LEDs



# Thermaltake Air Cooler UX 200



# UX 200

ARGB Lighting CPU Cooler

